




Ezitown Electric Co.,Ltd
Web: www.ezitown.com
Mobile(WhatsApp):+86-13566125299
E-mail:sales@ezitown.com

ezitown



Company Profile



electric are professional enterprise in the field of electrical products and accessories. Standing to ISO9001:2000 Principle and IEC standards fastidiously, based on developing principle of innovation, we have developed ourselves' advantaged new manufacture systems. So all products always experience strict quality-control since material.

Since establishing in 1996, we begun building specialization factories, so that can keep active and high quality creativity, only by which the customers can enjoy new fine service, only by which we and our clients can get good market and profit. Now we have group specialization factories, which are specializing in Switch and Socket for building, Distribution Board, Circuit Breaker, Big power relay, Cable Tray, Tools, Power Cable and Electrical Accessories such as communication accessories, Cable Gland, etc.

OEM and ODM accepted! Any new idea will excite mor market. We will keep show you surprised fine service and goods. Welcome any inquiry!

Contact us now! You will get highly satisfied answer!

DECLARATION OF CONFORMITY



CENTRE OF TESTING SERVICE
OPERATE ACCORDING TO ISO/IEC 17025

EC DECLARATION OF CONFORMITY

EU - ELECTROMAGNETIC COMPATIBILITY DIRECTIVE -

This declares that the following designated product

WATERPROOF JUNCTION BOX

Model No.: H=W×D(H=HEIGHT,W=WIDTH,D=DEEPNESS)

Test Model: 300×250×120

(Product identification)

Complies with the essential protection requirements of the European Parliament and of the Council
Directive 2004/108/EC on the approximation of the laws of the Member States relating to
electromagnetic compatibility.

This declaration applies to all specimens manufactured in accordance with the attached manufacturing
drawings which form part of this declaration.

Assessment of compliance of the product with the requirements relating to electromagnetic
compatibility was based on the following standards

EN 61000-6-3:2007

EN 61000-6-1:2007

(Identification of regulations / standards)

This declaration is the responsibility of the manufacturer / importer

YUEQING EZZTOWN ELECTRIC FACTORY

F10 #JINMA WEST ROAD MEIYUEQING,

ZHUJIANG, CHINA 325014

(Name / Address)



THIS DOC IS ONLY VALID IN CONNECTION WITH TEST REPORT NUMBER: CTS001023-0016-E-01

MANUFACTURER / IMPORTER

TEST LABORATORY

This is the result of test, that was carried out from the
submitted type-samples of a product in conformity
with the specification of the respective standards.
The declaration holder has the right to fix the
CT mark for EMC on the product complying with the
respective sample

27 October 2009

(Date)

(Signature)

(Date)

(Signature)

(Company stamp)



CENTRE OF TESTING SERVICE

Building 7, Yueqiang Industrial Park, No. 970, Yueqiang Road,

Contents

Distribution Board

MDS\ MDT SERIES	01
MPS\ MPT SERIES	02
MMS\ MMT SERIES	03
MDD\ MDP SERIES	04
MDB\ MEA SERIES	05

Modular Enclosure

MEB\ MEC SERIES	06
-----------------	----

Distribution Board

MDB\ MEA SERIES	07
-----------------	----

Junction Box

MWB\ MJB\ MMB SERIES	08
----------------------	----

Single Door

MED SERIES	09
------------	----

Stainless Steel

MES SERIES	10
------------	----

Plexiglass Door

MEP SERIES	11
------------	----

Modular System

MEM SERIES	12
------------	----

Inner Door

MEI/ MEI-P SERIES	13
-------------------	----

Double Door

MEF SERIES	14
------------	----

Metal cabinet

ME6\ ME6K\ ME7 SERIES	15-17
-----------------------	-------

Panel Box

	18
--	----

Service Enclosure

	19-20
--	-------

Junction Box

	21-22
--	-------

Panel Box

	23-24
--	-------

Distribution Box

	24
--	----

Portable power distribution Board

	25-27
--	-------

Wall Mounted Power Board

	28-29
--	-------

Sealed Box

	30
--	----



Cutting



Welding & Polishing

Powder coating





Punching



Forming

Assembly





01

MDS
SERIES

Flush



Surface

MDT
SERIES

Surface




Flush

Model	Type	Phase	Way	Main switch
Flush Surface	Din-Rail	Single	4, 6, 8, 10, 12	ELCB Isolator ELCB + Isolator

Surface model	H	W	D	E	F
4WAY	224	230	95	220	220
6WAY	260	230	95	256	220
8WAY	296	230	95	362	220
10WAY	332	230	95	328	220
12WAY	368	230	95	364	220


Flush model	H	W	D	E	F
4WAY	239	245	95	220	220
6WAY	275	245	95	256	220
8WAY	311	245	95	362	220
10WAY	347	245	95	328	220
12WAY	383	245	95	364	220



Model	Type	Phase	Way	Main switch
Flush Surface	Din-Rail	Triple	4, 6, 8, 10, 12	MCB, ELCB MCCB, Isolator ELCB + Isolator

Surface model	H	W	D	E	F
4WAY	506	350	105	496	340
6WAY	560	350	105	550	340
8WAY	614	350	105	604	340
10WAY	668	350	105	658	340
12WAY	722	350	105	712	340

Flush model	H	W	D	E	F
4WAY	526	370	105	496	340
6WAY	580	370	105	550	340
8WAY	634	370	105	604	340
10WAY	688	370	105	658	340
12WAY	742	370	105	712	340





MPS SERIES

MPT SERIES

02



Flush



Surface



Surface




Flush

Model	Type	Phase	Way	Main switch
Flush Surface	Plug-in	Single	4, 6, 8, 10, 12	ELCB Isolator ELCB + Isolator

Surface model	H	W	D	E	F
4WAY	224	230	95	214	220
6WAY	260	230	95	250	220
8WAY	296	230	95	286	220
10WAY	332	230	95	322	220
12WAY	368	230	95	358	220


Flush model	H	W	D	E	F
4WAY	239	245	95	214	220
6WAY	275	245	95	250	220
8WAY	311	245	95	286	220
10WAY	347	245	95	322	220
12WAY	383	245	95	358	220



Model	Type	Phase	Way	Main switch
Flush Surface	Plug-in	Triple	4, 6, 8, 10, 12	MCB, ELCB MCCB, Isolator ELCB + Isolator

Surface model	H	W	D	E	F
4WAY	506	350	105	515	340
6WAY	560	350	105	590	340
8WAY	614	350	105	665	340
10WAY	668	350	105	740	340
12WAY	722	350	105	815	340

Flush model	H	W	D	E	F
4WAY	526	370	105	515	340
6WAY	580	370	105	590	340
8WAY	634	370	105	665	340
10WAY	688	370	105	740	340
12WAY	742	370	105	815	340






03

MMS SERIES




MMT SERIES




Model	Type	Phase	Ways	Main switch
Surface	Plug-in	Single	4, 6, 8, 10, 12	ELCB Isolator ELCB + Isolator

Single Phase	H	W	D	E	F
4WAY	228	210	90	218	200
6WAY	279	210	90	269	200
8WAY	330	210	90	320	200
10WAY	381	210	90	371	200
12WAY	432	210	90	422	200



Model	Type	Phase	Ways	Main switch
Surface	Plug-in	Triple	4, 6, 8, 10, 12	ELCB Isolator ELCB + Isolator

Triple Phase	H	W	D	E	F
4WAY	470	370	105	460	360
6WAY	545	370	105	535	360
8WAY	620	370	105	610	360
10WAY	695	370	105	685	360
12WAY	770	370	105	760	360







MDD SERIES

MDP SERIES

04



Din-Rail





Plug-in

Model	Type	Phase	Busbar	Main switch
Flush Surface	Din-Rail	Triple	Double	ELCB + Isolator

Surface model	H	W	D	E	F
2+2WAY	556	360	105	546	350
4+2WAY	610	360	105	600	350
4+4WAY	664	360	105	654	350
6+2WAY	664	360	105	654	350
6+4WAY	718	360	105	708	350
6+6WAY	772	360	105	762	350
8+2WAY	718	360	105	708	350
8+4WAY	772	360	105	762	350
8+6WAY	826	360	105	816	350
10+2WAY	772	360	105	762	350
10+4WAY	826	360	105	816	350
10+6WAY	880	360	105	870	350
12+2WAY	826	360	105	816	350
12+4WAY	880	360	105	870	350
12+6WAY	934	360	105	924	350

Model	Type	Phase	Busbar	Main switch
Flush Surface	Plug-in	Triple	Double	ELCB + Isolator

Surface model	H	W	D	E	F
2+2WAY	590	360	105	580	350
4+2WAY	665	360	105	655	350
4+4WAY	740	360	105	730	350
6+2WAY	740	360	105	730	350
6+4WAY	815	360	105	805	350
6+6WAY	890	360	105	880	350
8+2WAY	815	360	105	805	350
8+4WAY	890	360	105	880	350
8+6WAY	965	360	105	955	350
10+2WAY	890	360	105	880	350
10+4WAY	965	360	105	955	350
10+6WAY	1040	360	105	1030	350
12+2WAY	965	360	105	955	350
12+4WAY	1040	360	105	1030	350
12+6WAY	1115	360	105	1105	350






05


MDB SERIES

MEA SERIES




Model	Type	Phase	Way	Main switch
Flush	Din-Rail	Triple	4, 6, 8, 10, 12	MCB, ELCB MCCB, Isolator ELCB + Isolator

Flush model	H	W	D	E	F
4WAY	526	370	105	496	340
6WAY	580	370	105	550	340
8WAY	634	370	105	604	340
10WAY	688	370	105	658	340
12WAY	742	370	105	712	340



Model	Type	Phase	Ways	Main switch
Flush Surface	Din-Rail	Single	As follows	ELCB Isolator

Surface model / 2 Row	H	W	D	E	F
4+2WAY	400	245	90	380	225
6+2WAY	400	280	90	380	260
6+4WAY	400	280	90	380	260
8+4WAY	400	315	90	380	295
8+6WAY	400	315	90	380	295
10+6WAY	400	350	90	380	330
10+8WAY	400	350	90	380	300





MEB SERIES

MEC SERIES


06



Model	Type	Row	Way
Flush Surface	Din-Rail	1	10
		2	12
		3	14
		4	16
		5	18
		6	20


Surface model	H	W	D	E	F
1×16WAY	280	450	110	270	440
2×16WAY	430	450	110	420	440
3×16WAY	580	450	110	570	440
4×16WAY	730	450	110	720	440
5×16WAY	880	450	110	870	440
6×16WAY	1030	450	110	1020	440

Flush model	H	W	D	E	F
1×16WAY	290	460	110	270	440
2×16WAY	440	460	110	420	440
3×16WAY	590	460	110	570	440
4×16WAY	740	460	110	720	440
5×16WAY	890	460	110	870	440
6×16WAY	1040	460	110	1020	440



Model	Type	Row	Way	Main switch
Surface	Din-Rail	1	10	MCCB
			14	
			18	
			22	
			14	
		2	18	
			14	
			18	
		3	14	
			18	
		4	14	
			18	
		5	14	
			18	
			18	

1 Row	H	W	D	E	F	Row 15WAY	H	W	D	E	F
10WAY	220	300	95	290	210	2	360	400	120	360	400
14WAY	220	370	95	360	210	3	500	400	120	500	400
18WAY	220	440	95	430	210	4	640	400	120	640	400
22WAY	220	510	95	500	210	5	780	400	120	780	400





07

TYE
SERIES

2way



4way




8way




12way

Product Number	Front Type	Rated Current(A)	Rated Voltage(V)	Rated Circuits	Rated Phase
ETYE-2SP	surface	125	120/240	2	DPN
ETYE-2S	surface	125	120/240	2	DPN
ETYE-4F	flush	125	120/240	4	DPN
ETYE-8F	flush	125	120/240	8	DPN
ETYE-12F	flush	125	120/240	12	DPN
ETYE-16F	flush	125	120/240	16	DPN
ETYE-20F	flush	125	120/240	20	DPN
ETYE-24F	flush	125	120/240	24	DPN
ETYE-30F	flush	125	120/240	30	DPN
ETYE-36F	flush	125	120/240	36	DPN
ETYE-40F	flush	125	120/240	40	DPN

ETYE	H	W	D	E	F
2WAY	258	138	68	250	130
4WAY	260	205	71	230	175
8WAY	336	280	85	306	250
12WAY	435	330	100	405	300
16WAY	485	330	100	455	300
20WAY	535	330	100	505	300
24WAY	585	330	100	555	300
28WAY	635	330	100	605	300
32WAY	685	330	100	665	300
36WAY	735	330	100	705	300
40WAY	785	330	100	755	300




**Junction box with waterproof IP66**


Model	H(mm)	W(mm)	D(mm)	Mounting plate
EMWB15158	150	150	80	EMWB1515
EMWB151512	150	150	120	EMWB1515
EMWB20158	200	150	80	EMWB2015
EMWB201512	200	150	120	EMWB2015
EMWB20208	200	200	80	EMWB2020
EMWB202012	200	200	120	EMWB2020
EMWB30158	300	150	80	EMWB3015
EMWB301512	300	150	120	EMWB3015
EMWB30208	300	200	80	EMWB3020
EMWB302012	300	200	120	EMWB3020
EMWB303012	300	300	120	EMWB3030
EMWB401512	400	150	120	EMWB4015
EMWB40208	400	200	80	EMWB4020
EMWB402012	400	200	120	EMWB4020
EMWB403012	400	300	120	EMWB4030
EMWB404012	400	400	120	EMWB4040
EMWB502012	500	200	120	EMWB5020
EMWB503012	500	300	120	EMWB5030
EMWB60208	600	200	80	EMWB6020
EMWB602012	600	200	120	EMWB6020
EMWB603012	600	300	120	EMWB6030
EMWB604012	600	400	120	EMWB6040
EMWB802012	800	200	120	EMWB8020
EMWB804012	800	400	120	EMWB8040

MJB SERIES

Model	H	W	D	E	F
EMJB151510	150	150	100	150	150
EMJB202010	200	200	100	200	200
EMJB252510	250	250	100	250	250
EMJB303010	300	300	100	300	300
EMJB151515	150	150	150	150	150
EMJB202015	200	200	150	200	200
EMJB252515	250	250	150	250	250
EMJB303015	300	300	150	300	300
EMJB454515	455	455	150	455	455

**MMB SERIES**

Model	Size(mm)	H	W	D	E	F
100A/BH		310	178	77	304	172
250A		422	220	99	430	212
400A		690	385	148	682	377





Single Door

Supply include:

Enclosure and door
Mounting plate
Lock system
Gland plate, sealing gasket and
Fixing accessories

Paint finish:

epoxy polyester powder
coating textured finish.
Protection degree: IP66

Material:

Enclosure & door: sheet steel 1.2mm
till size EMED6-820 then 2.0mm

Color: RAL7032

Against mechanical impacts: IK10



Model	H(mm)	W(mm)	D(mm)
EMED2 215	200	200	150
EMED2 2515	250	200	150
EMED2 315	300	200	150
EMED2 5315	300	250	150
EMED3 315	300	300	150
EMED3 415	400	300	150
EMED4 415	400	400	150
EMED3 515	500	300	150
EMED4 515	500	400	150
EMED5 515	500	500	150
EMED4 615	600	400	150
EMED5 615	600	500	150
EMED25 320	300	250	200
EMED3 320	300	300	200
EMED3 420	400	300	200
EMED4 420	400	400	200
EMED3 520	500	300	200
EMED4 520	500	400	200
EMED5 520	500	600	200
EMED4 620	600	400	200
EMED5 620	600	500	200
EMED6 620	600	600	200

Model	H(mm)	W(mm)	D(mm)
EMED5 720	700	500	200
EMED6 820	800	600	200
EMED8 820	800	800	200
EMED6 1020	1000	600	200
EMED8 1020	1000	800	200
EMED6 1220	1200	600	200
EMED8 1220	1200	800	200
EMED3 425	400	300	250
EMED4 425	400	400	250
EMED3 525	500	300	250
EMED4 525	500	400	250
EMED5 525	500	500	250
EMED4 625	600	400	250
EMED5 625	600	500	250
EMED6 625	600	600	250
EMED5 725	700	500	250
EMED6 825	800	600	250
EMED8 825	800	800	250
EMED6 1025	1000	600	250
EMED8 1025	1000	800	250
EMED6 1225	1200	600	250
EMED8 1225	1200	800	250

Model	H(mm)	W(mm)	D(mm)
EMED4 530	500	400	300
EMED5 530	500	500	300
EMED4 630	600	400	300
EMED5 630	600	500	300
EMED6 630	600	600	300
EMED5 730	700	500	300
EMED6 830	800	600	300
EMED8 830	800	800	300
EMED6 1030	1000	600	300
EMED8 1030	1000	800	300
EMED6 1230	1200	600	300
EMED8 1230	1200	800	300
EMED5 640	600	500	400
EMED6 640	600	600	400
EMED5 740	700	500	400
EMED6 840	800	600	400
EMED8 840	800	800	400
EMED6 1040	1000	600	400
EMED8 1040	1000	800	400
EMED6 1240	1200	600	400
EMED8 1240	1200	800	400
EMED8 1440	1400	600	400



Stainless Steel

Standard configuration:

Enclosure and door

Mounting plate

Bar lock

Polyurethane door seal

Degree of protection: IP66

Material:

body and front door: AISI304 or AISI316 stainless steel

Mounting plate: Galvanized steel



Model	H(mm)	W(mm)	D(mm)
EMES252015	250	200	150
EMES302015	300	200	150
EMES302515	300	250	150
EMES302520	300	250	200
EMES303015	300	300	150
EMES303020	300	300	200
EMES403015	400	300	150
EMES403020	400	300	200
EMES404020	400	400	200
EMES503015	500	300	150
EMES503020	500	300	200
EMES503025	500	300	250
EMES504015	500	400	150
EMES504020	500	400	200
EMES504025	500	400	250
EMES504030	500	400	300
EMES505020	500	500	200

Model	H(mm)	W(mm)	D(mm)
EMES604020	600	400	200
EMES604025	600	400	250
EMES605020	600	500	200
EMES605025	600	500	250
EMES606025	600	600	250
EMES606030	600	600	300
EMES705025	700	500	250
EMES705030	700	500	300
EMES806025	800	600	250
EMES806030	800	600	300
EMES808025	800	800	250
EMES808030	800	800	300
EMES1006025	1000	600	250
EMES1006030	1000	600	300
EMES1008030	1000	800	300
EMES1208030	1200	800	300
EMES12010030	1200	1000	300



Plexiglass Door

Supply include:

Enclosure and door
Mounting plate
Lock system
Gland plate, sealing gasket and
Fixing accessories

Paint finish: epoxy polyester powder
coating textured finish.

Protection degree: IP55

Material:

Enclosure manufactured in sheet steel 1.2mm
till size EMEP6-820 then 1.5mm

Door in 1.2mm sheek up to 800H then 2.0mm
3.0mm transparent plesiglass sheet

Mounting plate: sheet steel 1.5mm
till size EMEP6-820 then 2.0mm

Color: RAL7032

Against mechanical impacts: IK08



Model	H(mm)	W(mm)	D(mm)
EMEP3 420	400	300	200
EMEP4 420	400	400	200
EMEP3 520	500	300	200
EMEP4 520	500	400	200
EMEP5 520	500	500	200
EMEP4 620	600	400	200
EMEP5 620	600	500	200
EMEP6 620	600	600	200
EMEP5 720	700	500	200
EMEP6 820	800	600	200
EMEP8 820	800	800	200
EMEP3 425	400	300	250
EMEP4 425	400	400	250

Model	H(mm)	W(mm)	D(mm)
EMEP3 525	500	300	250
EMEP4 525	500	400	250
EMEP5 525	500	500	250
EMEP4 625	600	400	250
EMEP5 625	600	500	250
EMEP6 625	600	600	250
EMEP5 725	700	500	250
EMEP6 825	800	600	250
EMEP8 825	800	800	250
EMEP6 1025	1000	600	250
EMEP8 1025	1000	800	250
EMEP6 1225	1200	600	250
EMEP8 1225	1200	800	250

Model	H(mm)	W(mm)	D(mm)
EMEP4 530	500	400	300
EMEP5 530	500	500	300
EMEP4 630	600	400	300
EMEP5 630	600	500	300
EMEP6 630	600	600	300
EMEP5 730	700	500	300
EMEP6 830	800	600	300
EMEP8 830	800	800	300
EMEP6 1030	1000	600	300
EMEP8 1030	1000	800	300
EMEP6 1230	1200	600	300
EMEP8 1230	1200	800	300



Modular System

Feature

IP55 protection rating - more info on IP ratings

Epoxy polyester powder coating textured finish

RAL 7032 textured finish

Modular system assembly for modular switchgear, with adjustable symmetrical distance between sections of 35mm and cover plate from 40 to 85mm depending on user requirements.

Note:

Other size can customization

Transparent door depth>150mm



Dimension(mm)			Modular layer	No. of breaker
H	W	D		
400	300	150	2	24
500	400	150	3	48
600	400	150	3	48
600	600	150	3	84
750	500	150	3	66
750	500	150	4	88
800	600	150	4	84
800	600	150	4	112
1000	600	150	6	168
1000	800	150	6	240

Ezitown Electric Co.,Ltd

Web: www.ezitown.com

Mobile(WhatsApp):+86-13566125299

E-mail:sales@ezitown.com Ezitown@qq.com

Add:49 Jinma West Road, Liushi, Yueqing,Zhejiang China 325604